Analytical Data Package Prepared For

CH2M Hill Plateau Remediation

Radiochemical Analysis By

TestAmerica TARL

2800 G.W. Way, Richland Wa, 99354, (509)-375-3131.

Data Package Contains _____ Pages

Report Nbr: 45069

SDG Nbr	ORDER Nbr	CLIENT ID NUMBER	LOT Nbr	WORK ORDER	RPT DB ID	BATCH
W06021	X10-097	B26MD0	J0H200636-1	L5X2R1AA	9L5X2R10	0252412
		B26MF0	J0H200636-2	L5X271AA	9L5X2710	0252412
		B26MD5	J0H200636-3	L5X3L1AA	9L5X3L10	0252412
	X10-101	B26TN0	J0H200643-1	L5X411AA	9L5X4110	0252415
	X10-089	B27F66	J0H260478-1	L56AD1AA	9L56AD10	0252412
	X10-081	B26543	J0H270454-1	L57WG1AA	9L57WG10	0252414
		B26543	J0H270454-1	L57WG1AC	9L57WG10	0252413
		B26543	J0H270454-1	L57WG1AD	9L57WG10	0252412

Comments:

RECEIVED NOVEMBER 04, 2010

1215154

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Certificate of Analysis

TestAmerica Laboratories, Inc.

CH2M Hill Plateau Remediation Company
P.O. Box 1600
Mail Stop – R3-60
Richland, WA 99352

November 4, 2010

Attention: Mike Neely

SAF Number	:	X10-097, X10-101, X10-089,X10-081
Date SDG Closed	:	August 30, 2010
Number of Samples	:	Six (6)
Sample Type	:	Water
SDG Number	:	W06021
Data Deliverable	:	45-Day / Summary

CASE NARRATIVE

I. Introduction

Between August 16, 2010 and August 26, 2010 six water samples were received at TestAmerica (TARL). Upon receipt, the samples were assigned the following laboratory ID numbers to correspond with the CH2M specific IDs:

CH2M ID#	TARL ID#	DATE OF RECEIPT	MATRIX
B26MD0	L5X2R	08/16/10	WATER
B26MF0	L5X27	08/16/10	WATER
B26MD5	L5X3L	08/16/10	WATER
B26TN0	L5X41	08/16/10	WATER
B27F66	L56AD	08/25/10	WATER
B26543	L57WG	08/26/10	WATER

II. Sample Receipt

The samples were received in good condition and no anomalies were noted during check-in.

III. Analytical Results/Methodology

The analytical results for this report are presented by laboratory sample ID. Each set of data includes sample identification information, analytical results and the appropriate associated statistical errors.

The requested analyses were:	**Gamma Spectroscopy** Gamma Spec (LL) by method RL-GAM-001 (RICH-RC-5017)* Iodine-129 (LL) by method RL-GAM-002 (RICH-RC-5025)* **Liquid Scintillation Counting** Technetium-99 by method RL-LSC-013 (RICH-RC-5078)* Carbon-14 by method RL-LSC-008 (RICH-RC-5022)*

*SOP ID's changed effective 7-01-2008. Attached is a cross reference until SOP ID's are changed in all systems.

IV. Quality Control

The analytical results for each analysis performed includes a minimum of one laboratory control sample (LCS), one method (reagent) blank, and one duplicate sample analysis. Any exceptions have been noted in the "Comments" section.

QC and sample results are reported in the same units.

V. Comments

Gamma Spectroscopy

Gamma Spec (LL) by method RL-GAM-001 (RICH-RC-5017):
There was insufficient volume for a duplicate. Sample B26543 was recounted on a different detector for the duplicate (B26543 DUP). Except as noted, the LCS, batch blank, samples and sample duplicate (B26543) results are within contractual requirements.

Iodine-129 (LL) by method RL-GAM-002 (RICH-RC-5025):
The LCS, batch blank, samples and sample duplicate (B26MD0) results are within contractual requirements.

Liquid Scintillation Counting

Technetium-99 by method RL-LSC-013 (RICH-RC-5078):
The LCS, batch blank, samples, sample duplicate (B26TN0), and sample matrix spike (B26TN0) results are within contractual requirements.

Carbon-14 by method RL-LSC-008 (RICH-RC-5022):
The LCS, batch blank, samples and sample duplicate (B26543) results are within contractual requirements.

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the following signature.

Reviewed and approved:

Sandra Seger
Project Manager

Drinking Water Method Cross References

	DRINKING WATER ASTM METHOD CROSS REFERENCES	
Referenced Method	**Isotope(s)**	**TestAmerica Richland's SOP No.**
EPA 901.1	Cs-134, I-131	RL-GAM-001
EPA 900.0	Alpha & Beta	RL-GPC-001
EPA 00-02	Gross Alpha (Coprecipitation)	RL-GPC-002
EPA 903.0	Total Alpha Radium (Ra-226)	RL-RA-002
EPA 903.1	Ra-226	RL-RA-001
EPA 904.0	Ra-228	RL-RA-001
EPA 905.0	Sr-89/90	RL-GPC-003
ASTM D5174	Uranium	RL-KPA-003
EPA 906.0	Tritium	RL-LSC-005

Results in this report relate only to the sample(s) analyzed.

Uncertainty Estimation

TestAmerica Richland has adopted the internationally accepted approach to estimating uncertainties described in "NIST Technical Note 1297, 1994 Edition". The approach, "Law of Propagation of Errors", involves the identification of all variables in an analytical method which are used to derive a result. These variables are related to the analytical result (R) by some functional relationship, R = constants * f(x,y,z,...). The components (x,y,z) are evaluated to determine their contribution to the overall method uncertainty. The individual component uncertainties (u_i) are then combined using a statistical model that provides the most probable overall uncertainty value. All component uncertainties are categorized as type A, evaluated by statistical methods, or type B, evaluated by other means. Uncertainties not included in the components, such as sample homogeneity, are combined with the component uncertainty as the square root of the sum-of-the-squares of the individual uncertainties. The uncertainty associated with the derived result is the combined uncertainty (u_c) multiplied by the coverage factor (1,2, or 3).

When three or more sample replicates are used to derive the analytical result, the type A uncertainty is the standard deviation of the mean value (S/? n), where S is the standard deviation of the derived results. The type B uncertainties are all other random or non-random components that are not included in the standard deviation.

The derivation of the general "Law of Propagation of Errors" equations and specific example are available on request.

Report Definitions

Action Lev	An agreed upon activity level used to trigger some action when the final result is greater than or equal to the Action Level. Often the Action Level is related to the Decision Limit.
Batch	The QC preparation batch number that relates laboratory samples to QC samples that were prepared and analyzed together.
Bias	Defined by the equation (Result/Expected)-1 as defined by ANSI N13.30.
COC No	Chain of Custody Number assigned by the Client or TestAmerica.
Count Error (#s)	Poisson counting statistics of the gross sample count and background. The uncertainty is absolute and in the same units as the result. For Liquid Scintillation Counting (LSC) the batch blank count is the background.
Total Uncert (#s) ***u_c - Combined Uncertainty.***	All known uncertainties associated with the preparation and analysis of the sample are propagated to give a measure of the uncertainty associated with the result, ***u_c the combined uncertainty.*** The uncertainty is absolute and in the same units as the result.
(#s), Coverage Factor	The coverage factor defines the width of the confidence interval, 1, 2 or 3 standard deviations.
CRDL (RL)	Contractual Required Detection Limit as defined in the Client's Statement Of Work or TestAmerica "default" nominal detection limit. Often referred to the reporting level (RL)
Lc	Decision Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume associated with the sample. The Type I error probability is approximately 5%. Lc=(1.645 * Sqrt(2*(BkgrndCnt/BkgrndCntMin)/SCntMin)) * (ConvFct/(Eff*Yld*Abn*Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability. Lc cannot be calculated when the background count is zero.
Lot-Sample No	The number assigned by the LIMS software to track samples received on the same day for a given client. The sample number is a sequential number assigned to each sample in the Lot.
MDC|MDA	Detection Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume with a Type I and II error probability of approximately 5%. MDC = (4.65 * Sqrt((BkgrndCnt/BkgrndCntMin)/SCntMin) + 2.71/SCntMin) * (ConvFct/(Eff * Yld * Abn * Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability.
Primary Detector	The instrument identifier associated with the analysis of the sample aliquot.
Ratio U-234/U-238	The U-234 result divided by the U-238 result. The U-234/U-238 ratio for natural uranium in NIST SRM 4321C is 1.038.
Rst/MDC	Ratio of the Result to the MDC. A value greater than 1 may indicate activity above background at a high level of confidence. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Rst/TotUcert	Ratio of the Result to the Total Uncertainty. If the uncertainty has a coverage factor of 2 a value greater than 1 may indicate activity above background at approximately the 95% level of confidence assuming a two-sided confidence interval. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Report DB No	Sample Identifier used by the report system. The number is based upon the first five digits of the **Work Order** Number.
RER	The equation Replicate Error Ratio = (S-D)/[sqrt($TPUs^2$ + $TPUd^2$)] as defined by ICPT BOA where S is the original sample result, D is the result of the duplicate, TPUs is the total uncertainty of the original sample and TPUd is the total uncertainty of the duplicate sample.
SDG	Sample Delivery Group Number assigned by the Client or assigned by TestAmerica upon sample receipt.
Sum Rpt Alpha Spec Rst(s)	The sum of the reported alpha spec results for tests derived from the same sample excluding duplicate result where the results are in the same units.
Work Order	The LIMS software assign test specific identifier.
Yield	The recovery of the tracer added to the sample such as Pu-242 used to trace a Pu-239/40 method.

Isotope	Richland SOP #	Old Richland SOP #	Method Reference	Title
Asbestos	RL-ASB-001	N/A	NIOSH 7400	Fiber Counting by Phase Contrast Microscopy based on NIOSH 7400
Asbestos	RL-ASB-002	N/A	NIOSH 9002	Sample Prep and Analysis for Asbestos (bulk) by Polarized Light Microscopy based on NIOSH 9002
Alpha - Gross	ARCHIVED	RICH-RB-5035	Liquid Scintillation Anal/ Packard	DETERMINATION OF GROSS ALPHA IN NASAL SMEARS BY LIQUID SCINTILLATION COUNTING
Alpha - Gross	RL-GPC-001	RICH-RC-5014	9310 / EPA SW846 900.0 / EPA 600	DETERMINATION OF GROSS ALPHA AND GROSS BETA IN WATER BY METHOD 9310
Alpha - Gross	RL-GPC-007	RICH-RC-5020	SM 7110B EPA 680	DETERMINATION OF GROSS ALPHA AND GROSS BETA IN SOIL, SHORELINE SOIL, FOOD AND VEGETATION
Alpha - Gross	RL-GPC-002	RICH-RC-5021	00 02 EPA 520	DETERMINATION OF GROSS ALPHA ACTIVITY IN WATER BY COPRECIPITATION
Alpha - Gross	RL-GPC-008	RICH-RC-5036	ER100 / LANL	PREPARATION OF AIR FILTERS FOR GROSS ALPHA/BETA AND COMPOSITING AIR FILTERS
Am	RL-ALP-003	RICH-RC-5072	Mod RF 725 / DOE0089T EXT Chromatography	SEPARATION OF AMERICIUM, CURIUM, AND URANIUM BY EXTRACTION CHROMATOGRAPHY
Am	RL-ALP-010	RICH-RC-5080	Am03/Pu11HASL 300 NAS-NS-3006	SEQUENTIAL SEPARATION OF PLUTONIUM AND AMERICIUM
Beta - Gross	RL-GPC-001	RICH-RC-5014	9310 / EPA SW846 900.0 / EPA 600	DETERMINATION OF GROSS ALPHA AND GROSS BETA IN WATER BY METHOD 9310
Beta - Gross	RL-GPC-007	RICH-RC-5020	SM 7110B EPA 680	DETERMINATION OF GROSS ALPHA AND GROSS BETA IN SOIL, SHORELINE SOIL, FOOD AND VEGETATION
Beta - Gross	RL-GPC-008	RICH-RC-5036	ER100 / LANL	PREPARATION OF AIR FILTERS FOR GROSS ALPHA/BETA AND COMPOSITING AIR FILTERS
C14	RL-LSC-001	RICH-RB-5013	Mod H-02 / EPA 520	TRITIUM, CARBON-14, NICKEL-63 OR PHOSPHORUS-32 ANALYSIS IN URINE
C14	RL-LSC-008	RICH-RC-5022	EPA C-01 / EPA 520	CARBON 14 BY DIGESTION METHOD
C14	RL-LSC-009	RICH-RC-5040	Mod C14 / EPA 680	DETERMINATION OF CARBON-14 BY BENZENE SYNTHESIS
C14	RL-LSC-010	RICH-RC-5046	EPA C-01 / EPA 520	DETERMINATION OF CARBON-14 IN GRAPHITE AND SOIL
C14	RL-LSC-011	RICH-RC-5047	Mod H-02 / EPA 520	DETERMINATION OF CARBON-14 IN WATER BY DIRECT COUNTING
Cm	RL-ALP-003	RICH-RC-5072	Mod RF 725 / DOE0089T EXT Chromatography	SEPARATION OF AMERICIUM, CURIUM, AND URANIUM BY EXTRACTION CHROMATOGRAPHY
Coliform	RL-WC-001	RICH-WC-5001	92220	DETERMINATION OF TOTAL COLIFORM: MULTIPLE TUBE FERMENTATION TECHNIQUE
Coliform	RL-WC-002	RICH-WC-5002	9131	TOTAL COLIFORMS BY MEMBRANE FILTRATION
Coliform	RL-WC-005	RICH-WC-5007	9223	TOTAL COLIFORM BY THE COLILERT METHOD
Cr6+	RL-WC-003	RICH-WC-5003	7196A, SW846	DETERMINATION OF HEXAVALENT CHROMIUM [Cr(VI)] IN WATER, SOIL, AND SIMILAR MATRICES
Cr6+	RL-WC-004	RICH-WC-5005	3060 / SW846	DETERMINATION OF HEXAVALENT CHROMIUM (CrVI) IN SOLID MATRICES WITH ALKALINE DIGESTION
Fe	RL-LSC-015	RICH-RC-5074	EXT Chromatography ModFe55/PNL-ALO-435	SEPARATION OF IRON AND NICKEL BY EXTRACTION CHROMATOGRAPHY
Fe55	RL-LSC-016	RICH-RC-5023	R4-73-014 / EPA HASL 300	DETERMINATION OF IRON-55 AND IRON-59 IN WATER
Fe59	RL-LSC-016	RICH-RC-5023	R4-73-014 / EPA HASL 300	DETERMINATION OF IRON-55 AND IRON-59 IN WATER
Gamma	RL-GAM-001	RICH-RC-5017	901.0 / HASL 300 ASTM D3649	PREPARATION OF ALL MATRICES FOR ANALYSIS BY GAMMA SPECTROSCOPY
H3	RL-LSC-001	RICH-RB-5013	Mod H-02 / EPA 520	TRITIUM, CARBON-14, NICKEL-63 OR PHOSPHORUS-32 ANALYSIS IN URINE
H3	RL-LSC-003	RICH-RB-5034	7500-3 / SM	DETERMINATION OF TRITIUM IN URINE BY DISTILLATION
H3	RL-LSC-004	RICH-RC-5004	H3 / EPA LV539	DETERMINATION OF TRITIUM IN AIR
H3	RL-LSC-006	RICH-RC-5007	Mod 906.0 / EPA 600	SEPARATION OF TRITIUM IN WATER AND AQUEOUS COMPONENT OF WINE
H3	RL-LSC-007	RICH-RC-5024	H-3 by EE EPA LV539 / HASL 300	DETERMINATION OF LOW LEVEL TRITIUM IN WATER BY ELECTROLYTIC ENRICHMENT
H3	RL-LSC-002	RICH-RC-5037	H-3 In Water/Tissue / LV 539	DETERMINATION OF TRITIUM BY CRYOGENIC DISTILLATION
H3	RL-LSC-006	RICH-RC-5048	H-3 In Water/Tissue / LV 539	TRITIUM PREPARATION IN MILK SAMPLES
I129	RL-GAM-002	RICH-RC-5025	R4-73-014/EPA ASTM D2334 (Discontinued)	DETERMINATION OF IODINE-131 AND 129 IN WATER BY SOLVENT EXTRACTION METHOD
I131	RL-GAM-002	RICH-RC-5025	R4-73-014/EPA ASTM D2334 (Discontinued)	DETERMINATION OF IODINE-131 AND 129 IN WATER BY SOLVENT EXTRACTION METHOD
I131	ARCHIVED	RICH-RC-5049	HASL 300 (1983)	DETERMINATION OF IODINE-131 IN MILK BY BATCH ION-EXCHANGE
Metals	ARCHIVED	BHI-MT-0001	6010	ICP-AE SPECTROSCOPY, SPECTROMETRIC METHOD FOR TRACE ELEMENT ANALYSIS, METHOD 6010A FOR Richlel

Isotope	Richland SOP #	Old Richland SOP #	Method Reference	Title
Metals	RL-MT-001	RICH-MT-0001	6010B	ICP-AES for TRACE ELEMENT ANALYSIS, METHOD 6010B
Metals	RL-MT-002	RICH-MT-0002	SW486 3050B	ACID DIGESTION FOR ICP ANALYSIS
Metals	RL-MT-003	RICH-MT-0003	NIOSH 7300	DIGESTION PREP based on METHOD NIOSH 7300
Ni	RL-LSC-015	RICH-RC-5074	EXT Chromatography ModPe55/PNL-ALO-435	SEPARATION OF IRON AND NICKEL BY EXTRACTION CHROMATOGRAPHY
Ni63	RL-LSC-001	RICH-RB-5013	Mod H-02 / EPA 520	TRITIUM, CARBON-14, NICKEL-63 OR PHOSPHORUS-32 ANALYSIS IN URINE
Ni63	RL-LSC-017	RICH-RC-5069	EXT Chromatography Mod RP300 / DOE0089T	SEPARATION OF NI-63 BY EXTRACTION CHROMATOGRAPHY
Np	RL-ALP-013	RICH-RC-5009	NAS-NS-3060	DETERMINATION OF NEPTUNIUM-237 BY LIQUID-LIQUID EXTRACTION IN ALL MATRICES
Np	RL-ALP-006	RICH-RC-5064	EXT Chromatography	SEPARATION OF NEPTUNIUM BY EXTRACTION CHROMATOGRAPHY
P32	RL-LSC-001	RICH-RB-5013	Mod H-02 / EPA 520	TRITIUM, CARBON-14, NICKEL-63 OR PHOSPHORUS-32 ANALYSIS IN URINE
Pb	RL-ALP-011	RICH-RC-5076	EXT Chromatography	DETERMINATION OF LEAD-210 BY EXTRACTION CHROMATOGRAPHY
Po	RL-ALP-007	RICH-RB-5001	NAS-NS-3037 HASL 300	DETERMINATION OF POLONIUM-210 IN URINE
Po	RL-ALP-012	RICH-RC-5012	Po-01 / HASL 300 Mod U01 HASL 300	SEPARATION OF ISOTOPIC URANIUM AND POLONIUM-210 IN WATER, SOIL AND FILTERS
Prep - Bioassay	ARCHIVED	RICH-RU-0001		PREPARATION FOR RAPID BIOASSAY ANALYSES
Prep - Bioassay	RL-PRP-001	RICH-RB-5002	Mod Pu06 / HASL 300	PREPARATION OF URINE AND BLOOD SAMPLES
Prep - Bioassay	ARCHIVED	RICH-RB-6004	ASTM D1429-95	DETERMINATION OF SPECIFIC GRAVITY OF URINE
Prep - Bioassay	RL-RPL-002	RICH-RB-5036	Pub 6490,6601 / PNL	PREPARATION OF SYNTHETIC URINE AND FECES USING RECIPES FROM HPS N13.30 PREFORMANCE TESTING
Prep - Bioassay	RL-PRP-002	RICH-RB-5037	LA-10300-M R200 ASTM D3865	PREPARATION OF FECAL SAMPLES USING HYDROFLUORIC ACID DIGESTION
Prep - Bioassay	RL-RPL-003	RICH-RC-5028	ICRP Publication 23	PREPARATION OF SYNTHETIC URINE AND FECES
Prep - Count	RL-ALP-016	RICH-RC-5003	G-03 / HASL 300	COPRECIPITATION OF SOME ACTINIDES ON NEODYMIUM FLUORIDE FOR ALPHA-PARTICLE SPECTROMETRY
Prep - Count	RL-ALP-015	RICH-RC-5039	G-03 / HASL 300 Anal Chem 1972	ELECTRODEPOSITION OF ACTINIDES
Prep - Count	RL-ALP-014	RICH-RC-5085	Morrison & Freiser NAS-NS-3050	ANHYDROUS ETHER EXTRACTION OF URANIUM
Prep - Env	RL-KPA-001	RICH-RC-5015	ASTM / D5174-97	ENVIRONMENTAL SAMPLE PREPARATION FOR URANIUM BY LASER-INDUCED PHOSPHORESCENCE
Prep - Env	RL-PRP-004	RICH-RC-5016	Sr02 / HASL 300	PREPARATION OF ENVIRONMENTAL MATRICES
Prep - Env	RL-PRP-007	RICH-RC-5045	Mod Pu02 / HASL 300	PREPARATION OF MIXED BED RESINS AND PRE-FILTERS
Prep - Env	RL-PRP-008	RICH-RC-5068	Mod ER100 / LA10300	PREPARATION OF SOIL, VEGETATION AND AIR FILTERS BY MIXED STRONG ACID LEACHING
Prep - Resin	RL-ALP-017	RICH-RC-5018	Mod Pu11 / Mod 300	ION-EXCHANGE PREPARATION
Prep - Soil	RL-PRP-003	RICH-RC-5013	Pu02A / HASL 300	PREPARATION OF SOIL SAMPLES
Prep - Soil	RL-PRP-005	RICH-RC-5019	D5259 / ASTM SW 846/3015/3051/3052	PREPARATION AND DISSOLUTION OF SEDIMENTS AND SOIL BY MICROWAVE BOMB DIGESTION
Prep - Soil	RL-PRP-006	RICH-RC-5032	Pu02A / HASL 300	COMPLETE DISSOLUTION BY MIXED ACIDS IN A TEFLON BEAKER
Prep - Soil	RL-PRP-009	RICH-RC-5077	Mod ER100 / LA10300	PREPARATION OF SMALL SOIL SAMPLES FOR GAMMA SPEC AND/OR RADIOCHEM ANAL BY ACID DIGESTION
Prep - Urine	RL-PRP-010	RICH-RC-5086	AnalyticaChemActa1992 RP800 / DOE00089T	URINE AND WATER SAMPLE PREPARATION BY CALCIUM PHOSPHATE PRECIPITATION
Prep - Water	RL-PRP-010	RICH-RC-5086	AnalyticaChemActa1992 RP800 / DOE00089T	URINE AND WATER SAMPLE PREPARATION BY CALCIUM PHOSPHATE PRECIPITATION
Pu	ARCHIVED	RICH-RB-5015	Pu11 / HASL 300	RAPID DETERMINATION OF PLUTONIUM IN FECES
Pu	RL-ALP-002	RICH-RC-5010	Pu11 / HASL 300	DETERMINATION OF ISOTOPIC PLUTONIUM IN ALL MATRICES
Pu	RL-ALP-010	RICH-RC-5080	Am03 HASL 300 Pu11 / HASL 300	SEQUENTIAL SEPARATION OF PLUTONIUM AND AMERICIUM
Pu	RL-ALP-001	RICH-RC-5087	AnalyticaChemActa1992 RP800 / DOE00089T	DETERMINATION OF PLUTONIUM BY EXTRACTION CHROMATOGRAPHY
Ra	RL-RA-001	RICH-RC-5005	903.1 / EPA 600	RADIUM-226 AND RADIUM-228 SEPARATION IN RADIOCHEMICAL MATRICES - ADAPTED FROM EPA 903.1 AND 904.0
Ra	RL-RA-001	RICH-RC-5005	904.0 / EPA 600	RADIUM-226 AND RADIUM-228 SEPARATION IN RADIOCHEMICAL MATRICES - ADAPTED FROM EPA 903.1 AND 904.0

Isotope	Richland SOP #	Old Richland SOP #	Method Reference	Title
Ra	RL-RA-002	RICH-RC-5027	Mod D2460 / ASTM 903.0 / EPA 600	DETERMINATION OF TOTAL RADIUM
Rn	RL-LSC-019	RICH-RC-5082	913.0 / EPA	DETERMINATION OF RADON-222 - ADAPTED FROM METHOD 913.0
S35	ARCHIVED	RICH-RB-5020	Hillebrand, Lundell, Bright, Hoffman 1953	DETERMINATION OF SULFUR-35 IN URINE
Se79	RL-LSC-012	RICH-RC-6043	Selenium / NAS-NS-3030	RADIOCHEMICAL DETERMINATION OF SELENIUM-79
Solubility	ARCHIVED	RICH-RC-5035	Kalfward&Thomas PNL3716	DETERMINATION OF SOLUBILITY OF RADIOACTIVE PARTICLE CONSTITUENTS
Sr	RL-GPC-005	RICH-RB-5007	Mod Sr02 / HASL 300 Mod 905.0 / EPA 600	DETERMINATION OF TOTAL STRONTIUM IN URINE
Sr	RL-GPC-006	RICH-RB-5021	Mod Sr02 / HASL300 Mod 905.0 / EPA 600	DETERMINATION OF STRONTIUM IN FECES
Sr	ARCHIVED	RICH-RB-5022	Mod Sr02 / HASL300 Mod 905.0 / EPA 600	DETERMINATION OF TOTAL STRONTIUM IN URINE FOR RAPID ANALYSIS
Sr	ARCHIVED	RICH-RB-5031	Mod Sr02 / HASL300 Mod 905.0 / EPA 600	RAPID DETERMINATION OF TOTAL STRONTIUM IN FECES
Sr	RL-GPC-003	RICH-RC-5006	Mod Sr02 / HASL300 Mod 905.0 / EPA 600	STRONTIUM SEPARATION IN ENVIROMENTAL MATRICES
Sr - Yt	RL-GPC-004	RICH-RC-5071	Mod Sr02 / HASL300 Mod 905.0 / EPA 600	YTTRIUM-90 SEPARATION FOR STRONTIUM-90 DETERMINATION IN ALL MATRICES
Tc	RL-LSC-014	RICH-RC-5065	EXT Chromatography Mod RP550 / DOE0089T	DETERMINATION OF TECHNETIUM-99 BY EXTRACTION CHROMATOGRAPHY
Tc	RL-LSC-013	RICH-RC-5078	Tc01 / HASL 300	SEPARATION OF TECHNETIUM-99 IN ALL MATRICES
Th	RL-ALP-008	RICH-RB-5006	Mod Th01 / HASL 300	SEPARATION OF THORIUM FROM URINE AND FECAL SAMPLES
Th	RL-ALP-006	RICH-RC-5084	Mod Th01 / HASL 300 Anal Chim Acta 1992	DETERMINATION OF THORIUM ISOTOPIC IN ENVIRONMENTAL MATRICES
U	RL-ALP-012	RICH-RC-5012	Po-01 / HASL 300 Mod U01 / HASL 300	SEPARATION OF ISOTOPIC URANIUM AND POLONIUM-210 IN WATER, SOIL AND FILTERS
U	RL-KPA-002	RICH-RC-5031	Mod U01 / HASL 300	SEPARATION OF TOTAL URANIUM IN WATER AND URINE
U	RL-KPA-003	RICH-RC-5058	D5174 / ASTM	DETERMINATION OF URANIUM BY PHOSPHORESCENCE ANALYSIS
U	RL-ALP-004	RICH-RC-6067	EXT Chromatography Mod RP725 / DOE0089T	SEPARATION OF URANIUM BY EXTRACTION CHROMATOGRAPHY
U	RL-ALP-003	RICH-RC-5072	EXT Chrom Mod RP725 & 800 / DOE0089T	SEPARATION OF AMERICIUM, CURIUM, AND URANIUM BY EXTRACTION CHROMATOGRAPHY
U	RL-ALP-009	RICH-RC-5079	EXT Chromatography Mod RP725 / DOE0089T	DETERMINATION OF ISOTOPIC URANIUM IN ALL MATRICES

11/4/2010 2:35:00 PM

TestAmerica Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **Version:** 05 **Rpt Nbr:** 45069 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9L56AD10	B27F66		MW6-SBB-A1	X10-089	W06021					08/24/2010 09:41

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
0252412	I-129	15046-84-1	4.22E-01	pCi/L	2.4E-01	2.4E-01		2.37E-01	92.7	I129LL_SEP_LEPS	3.8557E+00	L	10/30/2010 02:38	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9L57WG10	B26543		MW6-SBB-A1	X10-081	W06021					08/26/2010 10:01

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
0252414	C-14	14762-75-5	6.21E-01	pCi/L	3.4E+00	4.0E+00	U	8.12E+00	100.0	C14_LSC	2.00E-01	L	10/01/2010 20:00	I
0252413	BE-7	13966-02-4	2.08E+01	pCi/L	2.6E+01	2.6E+01	U	4.88E+01		GAMMALL_GS	2.0026E+00	L	10/24/2010 01:18	I
0252413	CO-60	10198-40-0	-5.95E-01	pCi/L	1.5E+00	1.5E+00	U	2.62E+00		GAMMALL_GS	2.0026E+00	L	10/24/2010 01:18	I
0252413	CS-134	13967-70-9	5.52E-01	pCi/L	1.8E+00	1.8E+00	U	3.27E+00		GAMMALL_GS	2.0026E+00	L	10/24/2010 01:18	I
0252413	CS-137	10045-97-3	-2.61E-01	pCi/L	1.6E+00	1.6E+00	U	2.80E+00		GAMMALL_GS	2.0026E+00	L	10/24/2010 01:18	I
0252413	EU-152	14683-23-9	-3.43E+00	pCi/L	3.9E+00	3.9E+00	U	6.45E+00		GAMMALL_GS	2.0026E+00	L	10/24/2010 01:18	I
0252413	EU-154	15585-10-1	-2.65E+00	pCi/L	4.0E+00	4.0E+00	U	6.64E+00		GAMMALL_GS	2.0026E+00	L	10/24/2010 01:18	I
0252413	EU-155	14391-16-3	2.70E+00	pCi/L	2.5E+00	2.5E+00	U	4.68E+00		GAMMALL_GS	2.0026E+00	L	10/24/2010 01:18	I
0252413	K-40	13966-00-2	-1.77E+01	pCi/L	3.7E+01	3.7E+01	U	7.51E+01		GAMMALL_GS	2.0026E+00	L	10/24/2010 01:18	I
0252413	RU-106	13967-48-1	-3.54E+00	pCi/L	1.8E+01	1.8E+01	U	3.05E+01		GAMMALL_GS	2.0026E+00	L	10/24/2010 01:18	I
0252413	SB-125	14234-35-6	-1.87E-02	pCi/L	4.3E+00	4.3E+00	U	7.48E+00		GAMMALL_GS	2.0026E+00	L	10/24/2010 01:18	I
0252412	I-129	15046-84-1	3.63E-02	pCi/L	9.2E-02	9.2E-02	U	1.73E-01	91.9	I129LL_SEP_LEPS	3.8755E+00	L	10/30/2010 02:38	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9L5X2710	B26MF0		MW6-SBB-A1	X10-097	W06021					08/12/2010 10:05

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
0252412	I-129	15046-84-1	5.62E-02	pCi/L	1.3E-01	1.3E-01	U	2.04E-01	95.4	I129LL_SEP_LEPS	3.8779E+00	L	10/29/2010 22:51	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9L5X2R10	B26MD0		MW6-SBB-A1	X10-097	W06021					08/12/2010 11:06

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
0252412	I-129	15046-84-1	2.19E-03	pCi/L	1.4E-01	1.4E-01	U	2.10E-01	91.1	I129LL_SEP_LEPS	3.8939E+00	L	10/29/2010 19:25	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9L5X3L10	B26MD5		MW6-SBB-A1	X10-097	W06021					08/12/2010 09:06

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

I

11/4/2010 2:35:00 PM

TestAmerica Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **Version:** 05 **Rpt Nbr:** 45069 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
0252412	I-129	15046-84-1	6.80E-02	pCi/L	8.7E-02	8.7E-02	U	1.70E-01	94.9	I129LL_SEP_LEPS	3.8775E+00	L	10/29/2010 22:53	I

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9L5X4110	B26TN0		MW6-SBB-A1	X10-101	W06021					08/12/2010 10:27

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
0252415	TC-99	14133-76-7	2.29E+02	pCi/L	9.1E+00	1.8E+01		9.76E+00	100.0	TC99_SEP_LSC	1.267E-01	L	09/29/2010 02:39	I

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L6RAM1AB	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/12/2010 11:06
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 08/16/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AL	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252412	I-129	-5.00E-02	pCi/L	1.6E-01	U	2.31E-01	87.3		I129LL_SEP_L	3.899E+00	10/30/2010				D
BLK	15046-84-1			1.6E-01						L	06:00				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id: L6RAN1AB **Sdg/Rept Nbr:** W06021 45069 **Collection Date:** 08/26/2010 10:01

Client Id: NA **Matrix:** WATER WATER **Sample On Date:**

Moisture/Solids%*: **QC Type:** BLK **Received Date:** 08/26/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AN	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252413	BE-7	-1.62E+00	pCi/L	1.1E+01	U	1.93E+01			GAMMALL_GS	2.0001E+00	10/24/2010				D
BLK	13966-02-4			1.1E+01						L	01:19				
0252413	CO-60	-4.99E-01	pCi/L	1.3E+00	U	2.18E+00			GAMMALL_GS	2.0001E+00	10/24/2010				D
BLK	10198-40-0			1.3E+00						L	01:19				
0252413	CS-134	6.41E-01	pCi/L	1.1E+00	U	2.20E+00			GAMMALL_GS	2.0001E+00	10/24/2010				D
BLK	13967-70-9			1.1E+00						L	01:19				
0252413	CS-137	-3.08E-01	pCi/L	1.1E+00	U	1.86E+00			GAMMALL_GS	2.0001E+00	10/24/2010				D
BLK	10045-97-3			1.1E+00						L	01:19				
0252413	EU-152	1.12E+00	pCi/L	2.4E+00	U	4.37E+00			GAMMALL_GS	2.0001E+00	10/24/2010				D
BLK	14683-23-9			2.4E+00						L	01:19				
0252413	EU-154	-7.36E-01	pCi/L	3.1E+00	U	5.55E+00			GAMMALL_GS	2.0001E+00	10/24/2010				D
BLK	15585-10-1			3.1E+00						L	01:19				
0252413	EU-155	-1.67E+00	pCi/L	2.1E+00	U	3.42E+00			GAMMALL_GS	2.0001E+00	10/24/2010				D
BLK	14391-16-3			2.1E+00						L	01:19				
0252413	K-40	1.13E+00	pCi/L	2.4E+01	U	1.54E+01			GAMMALL_GS	2.0001E+00	10/24/2010				D
BLK	13966-00-2			2.4E+01						L	01:19				
0252413	RU-106	-1.34E-02	pCi/L	9.1E+00	U	1.63E+01			GAMMALL_GS	2.0001E+00	10/24/2010				D
BLK	13967-48-1			9.1E+00						L	01:19				
0252413	SB-125	-6.16E-01	pCi/L	2.2E+00	U	3.90E+00			GAMMALL_GS	2.0001E+00	10/24/2010				D
BLK	14234-35-6			2.2E+00						L	01:19				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadI\V\Rad\W06021.Edd, h:\Reportdb\edd\FeadI\V\Rad\45069.Edd

Lab Sample Id:	L6RAP1AB	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/26/2010 10:01
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 08/26/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AP	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252414	C-14	1.47E+00	pCi/L	4.1E+00	U	8.12E+00	100.0		C14_LSC	2.00E-01	10/01/2010				D
BLK	14762-75-5			3.4E+00						L	21:26				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Blank Report

Lab Code: TARL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L6RAQ1AB	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/12/2010 10:27
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BLK		**Received Date:** 08/16/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AR	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252415	TC-99	2.13E+00	pCi/L	5.5E+00	U	9.80E+00	100.0		TC99_SEP_LS	1.269E-01	09/29/2010				D
BLK	14133-76-7			4.0E+00						L	05:47				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L6RAM1CS	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/12/2010 11:06
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 08/16/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AM	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252412	I-129	1.09E+01	pCi/L	1.3E+00		2.54E-01	90.0	9.99E+00	I129LL_SEP_L	3.8995E+00	10/30/2010			70	D
BS	15046-84-1			1.3E+00				109.6		L	06:00			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L6RAN1CS	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/26/2010 10:01
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 08/26/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AO	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252413	CO-60	4.06E+01	pCi/L	7.8E+00		4.30E+00		3.83E+01	GAMMALL_GS	2.0009E+00	10/24/2010			70	D
BS	10198-40-0			7.8E+00				106.2		L	01:19			130	
0252413	CS-137	5.00E+01	pCi/L	9.6E+00		4.98E+00		5.01E+01	GAMMALL_GS	2.0009E+00	10/24/2010			70	D
BS	10045-97-3			9.6E+00				99.9		L	01:19			130	
0252413	EU-152	7.77E+01	pCi/L	1.6E+01		1.12E+01		8.05E+01	GAMMALL_GS	2.0009E+00	10/24/2010			70	D
BS	14683-23-9			1.6E+01				96.5		L	01:19			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L6RAP1CS	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/26/2010 10:01
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 08/26/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AQ	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252414	C-14	7.19E+03	pCi/L	4.3E+02		3.26E+02	100.0	7.29E+03	C14_LSC	5.00E-03	10/01/2010			70	D
BS	14762-75-5			3.0E+02				98.6		L	22:09			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Control Sample Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L6RAQ1CS	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/12/2010 10:27
Client Id:	NA	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	BS		**Received Date:** 08/16/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AS	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252415	TC-99	4.94E+02	pCi/L	3.2E+01		9.88E+00	100.0	5.41E+02	TC99_SEP_LS	1.254E-01	09/29/2010			70	D
BS	14133-76-7			1.3E+01				91.2		L	06:49			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L57WG1ER	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/26/2010 10:01
Client Id:	B26543	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 08/26/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
X10-081	MW6-SBB-A19981								AG	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252413	BE-7	6.52E-01	pCi/L	3.3E+01	U	5.67E+01			GAMMALL_GS	2.0026E+00	10/25/2010	187.8	0.9		D
DUP	13966-02-4	2.08E+01		3.3E+01						L	06:31	20.0	3		
0252413	CO-60	-1.07E+00	pCi/L	2.3E+00	U	3.98E+00			GAMMALL_GS	2.0026E+00	10/25/2010	0.0	0.3		D
DUP	10198-40-0	-5.95E-01		2.3E+00						L	06:31	20.0	3		
0252413	CS-134	1.18E+00	pCi/L	2.3E+00	U	4.33E+00			GAMMALL_GS	2.0026E+00	10/25/2010	72.6	0.4		D
DUP	13967-70-9	5.52E-01		2.3E+00						L	06:31	20.0	3		
0252413	CS-137	-1.24E+00	pCi/L	2.1E+00	U	3.45E+00			GAMMALL_GS	2.0026E+00	10/25/2010	0.0	0.7		D
DUP	10045-97-3	-2.61E-01		2.1E+00						L	06:31	20.0	3		
0252413	EU-152	-7.99E-01	pCi/L	5.4E+00	U	9.35E+00			GAMMALL_GS	2.0026E+00	10/25/2010	0.0	0.7		D
DUP	14683-23-9	-3.43E+00		5.4E+00						L	06:31	20.0	3		
0252413	EU-154	-4.15E+00	pCi/L	6.8E+00	U	1.13E+01			GAMMALL_GS	2.0026E+00	10/25/2010	0.0	0.3		D
DUP	15585-10-1	-2.65E+00		6.8E+00						L	06:31	20.0	3		
0252413	EU-155	-8.44E-01	pCi/L	3.8E+00	U	6.31E+00			GAMMALL_GS	2.0026E+00	10/25/2010	381.6	1.3		D
DUP	14391-16-3	2.70E+00		3.8E+00						L	06:31	20.0	3		
0252413	K-40	-5.14E+01	pCi/L	5.3E+01	U	1.08E+02			GAMMALL_GS	2.0026E+00	10/25/2010	0.0	0.9		D
DUP	13966-00-2	-1.77E+01		5.3E+01						L	06:31	20.0	3		
0252413	RU-106	-1.01E+01	pCi/L	2.2E+01	U	3.63E+01			GAMMALL_GS	2.0026E+00	10/25/2010	0.0	0.4		D
DUP	13967-48-1	-3.54E+00		2.2E+01						L	06:31	20.0	3		
0252413	SB-125	-7.66E-01	pCi/L	5.5E+00	U	9.39E+00			GAMMALL_GS	2.0026E+00	10/25/2010	0.0	0.2		D
DUP	14234-35-6	-1.87E-02		5.5E+00						L	06:31	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L57WG1FR	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/26/2010 10:01
Client Id:	B26543	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 08/26/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
X10-081	MW6-SBB-A19981								AH	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252414	C-14	3.18E-01	pCi/L	4.0E+00	U	8.13E+00	100.0		C14_LSC	2.00E-01	10/01/2010	64.6	0.1		D
DUP	14762-75-5	6.21E-01		3.4E+00						L	20:43	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L5X2R1CR	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/12/2010 11:06
Client Id:	B26MD0	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 08/16/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
X10-097	MW6-SBB-A19981								AI	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252412	I-129	-6.97E-02	pCi/L	9.1E-02	U	1.51E-01	91.9		I129LL_SEP_L	3.8202E+00	10/29/2010	0.0	1.1		D
DUP	15046-84-1	2.19E-03		9.1E-02						L	19:26	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica QC Duplicate Report

Lab Code: TARL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L5X411DR	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/12/2010 10:27
Client Id:	B26TN0	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	DUP		**Received Date:** 08/16/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
X10-101	MW6-SBB-A19981								AK	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252415	TC-99	1.95E+02	pCi/L	1.6E+01		9.49E+00	100.0		TC99_SEP_LS	1.26E-01	09/29/2010	16.0	3.		D
DUP	14133-76-7	2.29E+02		8.4E+00						L	04:44	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, November 04, 2010

TestAmerica Qc Matrix Spike Report

Lab Code: TARL

FormNbr: R FormatType: FEAD VersionNbr: 05 File Name: h:\Reportdb\edd\FeadIV\Rad\W06021.Edd, h:\Reportdb\edd\FeadIV\Rad\45069.Edd

Lab Sample Id:	L5X411CW	**Sdg/Rept Nbr:**	W06021	45069	**Collection Date:** 08/12/2010 10:27
Client Id:	B26TN0	**Matrix:**	WATER	WATER	**Sample On Date:**
Moisture/Solids%*:		**QC Type:**	MS		**Received Date:** 08/16/2010

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
X10-101	MW6-SBB-A19981								AJ	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
0252415	TC-99	3.11E+03	pCi/L	1.9E+02		9.69E+00	100.0	3.57E+03	TC99_SEP_LS	1.268E-01	09/29/2010			60	D
MS	14133-76-7			3.1E+01				87.2		L	03:42			140	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review/Verification Checklist
RADIOCHEMISTRY, First Level Review

10/25/2010 3:41:28 PM

Lot No., Due Date: J0H270454; 10/14/2010
Client, Site: 384868; PGW 615HANFORD HANFORD
QC Batch No., Method Test: 0252413; RGAMMA Gamma by GER
SDG, Matrix: W06021; WATER

	Yes	No	N/A
1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	✓		
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	✓		
2.2 Are the QC appropriate for the analysis included in the batch?	✓		
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	✓		
2.4 Does the Worksheets include a Tracer Vial label for each sample?			✓
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	✓		
3.2 Is the LCS result, yield, and MDA within contract limits?	✓		
3.3 Are the MS/MSD results, yields, and MDA within contract limits?			✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	✓		
3.5 Are the sample yields and MDAs within contract limits?	✓		
4.0 Raw Data			
4.1 Were results calculated in the correct units?	✓		
4.2 Were analysis volumes entered correctly?	✓		
4.3 Were Yields entered correctly?			✓
4.4 Were spectra reviewed/meet contractual requirements?	✓		
4.5 Were raw counts reviewed for anomalies?	✓		
5.0 Other			
5.1 Are all nonconformances included and noted?			✓
5.2 Are all required forms filled out?	✓		
5.3 Was the correct methodology used?	✓		
5.4 Was transcription checked?	✓		
5.5 Were all calculations checked at a minimum frequency?	✓		
5.6 Are worksheet entries complete and correct?	✓		

6.0 Comments on any No response:

First Level: [signature] Date 10/28/10

TestAmerica Richland
QAS_RADCALCv4.8.44

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 0252413

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?			✓
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Jodie G Date: 10/29/10

LS-038B, Rev. 10, 9/07

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review/Verification Checklist
RADIOCHEMISTRY, First Level Review

11/1/2010 3:00:10 PM

Lot No., Due Date: J0H260478,J0H270454,J0H200636; 10/14/2010
Client, Site: 384868; PGW 615HANFORD HANFORD
QC Batch No., Method Test: 0252412; RGAMLEPS Gamma by LEPS
SDG, Matrix: W06021; WATER

	Yes	No	N/A
1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	✓		
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	✓		
2.2 Are the QC appropriate for the analysis included in the batch?	✓		
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	✓		
2.4 Does the Worksheets include a Tracer Vial label for each sample?	✓		
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	✓		
3.2 Is the LCS result, yield, and MDA within contract limits?	✓		
3.3 Are the MS/MSD results, yields, and MDA within contract limits?			✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	✓		
3.5 Are the sample yields and MDAs within contract limits?	✓		
4.0 Raw Data			
4.1 Were results calculated in the correct units?	✓		
4.2 Were analysis volumes entered correctly?	✓		
4.3 Were Yields entered correctly?	✓		
4.4 Were spectra reviewed/meet contractual requirements?	✓		
4.5 Were raw counts reviewed for anomalies?	✓		
5.0 Other			
5.1 Are all nonconformances included and noted?			✓
5.2 Are all required forms filled out?	✓		
5.3 Was the correct methodology used?	✓		
5.4 Was transcription checked?	✓		
5.5 Were all calculations checked at a minimum frequency?	✓		
5.6 Are worksheet entries complete and correct?	✓		

6.0 Comments on any No response:

First Level Lisa Anderson Date 11/1/10

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 0252412

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Jodie C Date: 11/1/10

LS-038B, Rev. 10, 9/07

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review/Verification Checklist
RADIOCHEMISTRY, First Level Review

10/10/2010 11:00:03 AM

Lot No., Due Date: J0H200643; 10/14/2010
Client; Site: 384868; PGW 615HANFORD HANFORD
QC Batch No., Method Test: 0252415; RTC99 Tc-99 by LSC
SDG, Matrix: W06021; WATER

	Yes	No	N/A
1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	✓		
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	✓		
2.2 Are the QC appropriate for the analysis included in the batch?	✓		
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	✓		
2.4 Does the Worksheets include a Tracer Vial label for each sample?			✓
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	✓		
3.2 Is the LCS result, yield, and MDA within contract limits?	✓		
3.3 Are the MS/MSD results, yields, and MDA within contract limits?	✓		
3.4 Are the duplicate result, yields, and MDAs within contract limits?	✓		
3.5 Are the sample yields and MDAs within contract limits?	✓		
4.0 Raw Data			
4.1 Were results calculated in the correct units?	✓		
4.2 Were analysis volumes entered correctly?	✓		
4.3 Were Yields entered correctly?			✓
4.4 Were spectra reviewed/meet contractual requirements?			✓
4.5 Were raw counts reviewed for anomalies?	✓		
5.0 Other			
5.1 Are all nonconformances included and noted?			✓
5.2 Are all required forms filled out?	✓		
5.3 Was the correct methodology used?	✓		
5.4 Was transcription checked?	✓		
5.5 Were all calculations checked at a minimum frequency?	✓		
5.6 Are worksheet entries complete and correct?	✓		

6.0 Comments on any No response:

First Level: [signature] Date 10/10/10

TestAmerica Richland
QAS_RADCALCv4.8.44

Page 1

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 0252415

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?			✓
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?	✓		
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: Jodie G Date: 10/11/10

LS-038B, Rev. 10, 9/07

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review/Verification Checklist

RADIOCHEMISTRY, First Level Review

10/10/2010 10:28:20 AM

Lot No., Due Date: J0H270454; 10/14/2010
Client, Site: 384868; PGW 615HANFORD HANFORD
QC Batch No., Method Test: 0252414; RC14 C-14 by LSC
SDG, Matrix: W06021; WATER

	Yes	No	N/A
1.0 COC			
1.1 Is the ICOC page complete; includes all applicable analysis, dates, SOP numbers, and revisions?	✓		
2.0 QC Batch			
2.1 Do the Summary/Detailed Reports include a calculated result for each sample listed on the QC Batch Sheet?	✓		
2.2 Are the QC appropriate for the analysis included in the batch?	✓		
2.3 Is the Analytical Batch Worksheet complete; includes as appropriate, volumes, count times, etc?	✓		
2.4 Does the Worksheets include a Tracer Vial label for each sample?			✓
3.0 QC & Samples			
3.1 Is the blank results, yield, and MDA within contract limits?	✓		
3.2 Is the LCS result, yield, and MDA within contract limits?	✓		
3.3 Are the MS/MSD results, yields, and MDA within contract limits?			✓
3.4 Are the duplicate result, yields, and MDAs within contract limits?	✓		
3.5 Are the sample yields and MDAs within contract limits?	✓		
4.0 Raw Data			
4.1 Were results calculated in the correct units?	✓		
4.2 Were analysis volumes entered correctly?	✓		
4.3 Were Yields entered correctly?			✓
4.4 Were spectra reviewed/meet contractual requirements?			✓
4.5 Were raw counts reviewed for anomalies?	✓		
5.0 Other			
5.1 Are all nonconformances included and noted?			✓
5.2 Are all required forms filled out?	✓		
5.3 Was the correct methodology used?	✓		
5.4 Was transcription checked?	✓		
5.5 Were all calculations checked at a minimum frequency?	✓		
5.6 Are worksheet entries complete and correct?	✓		

6.0 Comments on any No response:

First Level [signature] Date 10/10/10

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

Batch Number: 0252414

Review Item	Yes (√)	No (√)	NA (√)
A. Sample Analysis 1. Are the sample yields within acceptance criteria?			✓
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples 1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery within contract acceptance criteria?	✓		
6. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
7. Do the MS/MSD results and yields meet acceptance criteria?			✓
8. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other 1. Are all Non-conformances included and noted?			✓
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: _____

Second Level Review: [signature] Date: 10/11/10

LS-038B, Rev. 10, 9/07

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X10-097-71
		Page 1 of 1

Collector JP HERRICK CHPRC	Contact/Requester Karen Waters-Husted	Telephone No. 376-4650
SAF No. X10-097	Sampling Origin Hanford Site	Purchase Order/Charge Code 300206ES20
Project Title 300DURA August 2010	Logbook No: HNF-N-506 32 / 50	Ice Chest No. N/A
Shipped To (Lab) TestAmerica Incorporated, Richland	Method of Shipment Government Vehicle	Bill of Lading/Air Bill No. N/A
Protocol CERCLA	Priority: 45 Days	Offsite Property No. N/A

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time Total Activity Exemption: Yes ☑ No ☐
Do not combine samples from this SAF with other data sets. Need SDG to be stand alone.
Site Wide Generator Knowledge Information Form applies.
The CACN for all analytical work at WSCF is 401647.
Please report all TICs.

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B26MD0	N	W	8/12/10	1106	1x20-mL P	Activity Scan L5K2R	6 Months	None
B26MD0	N	W	↓	1106	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	6 Months	None

W0L0D1
JOH 2006236
Due 9/30/10

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
JP HERRICK CHPRC			AUG 12 2010 1425	SSU #1			AUG 12 2010 1425
SSU-1			AUG 16 2010 0900	L.D. Wall CHPRC			AUG 16 2010 0900
L.D. Wall CHPRC			AUG 16 2010 1300	ANGEL GARCIA			AUG 16 2010 1300

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

SAMPLE TION Disposal Method (e.g., Return to customer, per lab procedure, used in process) Disposed By Date/Time

A-6004-842 (05/10)

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C.# X10-097-79
		Page 1 of 1

Collector JP HERRICK CHPRC	Contact/Requester Karen Waters-Husted	Telephone No. 376-4650
SAF No. X10-097	Sampling Origin Hanford Site	Purchase Order/Charge Code 300206ES20
Project Title 300DURA August 2010	Logbook No: HNF-N-506 32 / 50	Ice Chest No. N/A
Shipped To (Lab) TestAmerica Incorporated, Richland	Method of Shipment Government Vehicle	Bill of Lading/Air Bill No. N/A
Protocol CERCLA	Priority: 45 Days	Offsite Property No. N/A

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS **Hold Time** Total Activity Exemption: Yes ☑ No ☐
Do not combine samples from this SAF with other data sets. Need SDG to be stand alone.
Site Wide Generator Knowledge Information Form applies.
The CACN for all analytical work at WSCF is 401647.
Please report all TICs.

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B26MF0	N	W	8/12/10	1005	1x20-mL P	Activity Scan L5X27	6 Months	None
B26MF0	N	W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	6 Months	None

W060021
JOH2006336
Due 9/30/10

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
JP HERRICK CHPRC			AUG 12 2010 1425	SSU #1			AUG 12 2010 1425
SSU-1			AUG 16 2010 0900	L.D. Wall CHPRC		L.D. Wall	AUG 16 2010 0900
L.D. Wall CHPRC		L.D. Wall	AUG 16 2010 1300	Angel Garcia TACK		Angel Garcia	AUG 16 2010 1300
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liquid	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

A-6004-842 (05/10)

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X10-097-75
		Page 1 of 1

Collector JP HERRICK CHPRC	Contact/Requester Karen Waters-Husted	Telephone No. 376-4650
SAF No. X10-097	Sampling Origin Hanford Site	Purchase Order/Charge Code 300206ES20
Project Title 300DURA August 2010	Logbook No: HNF-N-506 32 / 50	Ice Chest No. N/A
Shipped To (Lab) TestAmerica Incorporated, Richland	Method of Shipment Government Vehicle	Bill of Lading/Air Bill No. N/A
Protocol CERCLA	Priority: 45 Days	Offsite Property No. N/A

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time Total Activity Exemption: Yes ☑ No ☐
Do not combine samples from this SAF with other data sets. Need SDG to be stand alone.
Site Wide Generator Knowledge Information Form applies.
The CACN for all analytical work at WSCF is 401647.
Please report all TICs.

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B26MD5	N	W	8/12/10	0900	1x20-mL P	Activity Scan LSX3L	6 Months	None
B26MD5	N	W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	6 Months	None

WO#0001
JOH200636
Due 9/30/10

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
JP HERRIC CHPRC			AUG 12 2010 1425	SSU #1			AUG 12 2010 1425
SSU- 1			AUG 16 2010 0900	L.D. Wall CHPRC		L.D. Wall	AUG 16 2010 0900
L.D. Wall CHPRC		L.D. Wall	AUG 16 2010 1300	ANGEL Garcia TMK			AUG 16 2010 1300
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liqui	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wipe	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

A-6004-842 (05/10)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 9/16/10 @ 1300 GM Screen Results (out) 1.01 (in) 1.04 Initials HC

Client: PGW SDG #: W060021 NA [ ] SAF #: X10-047 NA [ ]

Work Order Number: JOH200623e Chain of Custody # X10-097-71,74,75

Shipping Container ID: Hand delivered NA [ ] Air Bill # _____ NA HC

Item 1 through 5 for shipping container only. Initial appropriate response.

1. Custody Seals on shipping container intact? Yes [HC] No [ ] No Custody Seal [ ]
2. Custody Seals dated and signed? Yes [HC] No [ ] No Custody Seal [ ]
3. Chain of Custody record present? Yes [HC] No [ ]
4. Cooler temperature: 4°C NA [ ] 5. Vermiculite/packing materials is NA [ ] Wet [ ] Dry [HC]

Item 6 through 10 for samples. Initial appropriate response.

6. Number of samples in shipping container (Each sample may contain multiple bottles): 3@2 bottles and 1 vial
7. Sample holding times exceeded? NA [ ] Yes [ ] No [S]
8. Samples have:
   - ____ tape
   - HC custody seals
   - HC hazard labels
   - HC appropriate sample labels
9. Samples are:
   - HC in good condition
   - ____ broken
   - ____ leaking
   - ____ have air bubbles (Only for samples requiring head space)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [HC] pH>9 [ ] Amount of HNO3 Added _____
11. Sample Location, Sample Collector Listed? * Yes [HC] No [ ]
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [HC]
13. Description of anomalies (include sample numbers): NA [✓]

see other side for additional comments

Sample Custodian: Hallie Carmel Date: 9/16/10

Client Informed on N/A by N/A Person contacted N/A

[✓] No action necessary; process as is.

Project Manager [signature] Date 9/8/10

LS-023, Rev. 10, 10/09

CHPRC	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X10-101-7
		Page 1 of 1

Collector ~~RA Shepard~~ CHPRC	Contact/Requester Karen Waters-Husted	Telephone No. 509-376-4650
SAF No. X10-101	Sampling Origin Hanford Site	Purchase Order/Charge Code 300054ES20
Project Title OED TEST, AUGUST 2010	Logbook No: HNF-N-506 34/153	Ice Chest No. N/A
Shipped To (Lab) TestAmerica Incorporated, Richland	Method of Shipment Government Vehicle	Bill of Lading/Air Bill No. N/A
Protocol Other	Priority: 45 Days	Offsite Property No. N/A

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400 5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time — Total Activity Exemption: Yes ☑ No ☐
Site Wide Generator Knowledge Information Form applies.
The CACN for all analytical work at WSCF is 402017.
Please analyze with other samples. Do use separate batching.

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B26TN0	N	W	8-12-10	1027	1x20-mL P	Activity Scan L5X41	6 Months	None
B26TN0	N	W	↓	↓	3x1000-mL G/P	TC99_SEP_LSC: Tc-99 (1)	6 Months	HCl to pH <2

WO 60231
JOH200642B
Due 9/30/10

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
~~RA Shepard~~ CHPRC			AUG 12 2010 1100	SSU #1			AUG 12 2010 1100
SSU- 1			AUG 16 2010 0900	L.D. Wall CHPRC		L.D. Wall	AUG 16 2010 0900
L.D. Wall CHPRC		L.D. Wall	AUG 16 2010 1300	Angel Garcia		Angel Garcia	AUG 16 2010 1300
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S	= Soil	DS	= Drum Solid
SE	= Sediment	DL	= Drum Liqui
SO	= Solid	T	= Tissue
SL	= Sludge	WI	= Wine
W	= Water	L	= Liquid
O	= Oil	V	= Vegetation
A	= Air	X	= Other

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

A-6004-842 (05/10)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 8/16/10@1300 GM Screen Results (out) 01 (in) 04 Initials HC

Client: PGW SDG #: W0L0031 NA [ ] SAF #: X10-101 NA [ ]

Work Order Number: JOH2001643 Chain of Custody # X10-101-7

Shipping Container ID: Hand delivered NA Air Bill # NA HC

Item 1 through 5 for shipping container only. Initial appropriate response.

1. Custody Seals on shipping container intact? Yes [HC] No [ ] No Custody Seal [ ]
2. Custody Seals dated and signed? Yes [HC] No [ ] No Custody Seal [ ]
3. Chain of Custody record present? Yes [HC] No [ ]
4. Cooler temperature: 4°C NA [ ] 5.Vermiculite/packing materials is NA [ ] Wet [ ] Dry [HC]

Item 6 through 10 for samples. Initial appropriate response.

6. Number of samples in shipping container (Each sample may contain multiple bottles): 31 @ 30ml vial H.C 8/16/10
7. Sample holding times exceeded? NA [ ] Yes [ ] No [HC]
8. Samples have:
   - ___ tape
   - HC custody seals
   - ___ hazard labels
   - HC appropriate sample labels
9. Samples are:
   - HC in good condition
   - ___ broken
   - ___ leaking
   - ___ have air bubbles (Only for samples requiring head space)
10. Sample pH taken? NA [ ] pH<2 [HC] pH>2 [ ] pH>9 [ ] Amount of HNO3 Added ___
11. Sample Location, Sample Collector Listed? * Yes [HC] No [ ]
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [HC]
13. Description of anomalies (include sample numbers): NA [✓]

see other side for additional comments

Sample Custodian: Haylee Carmack Date: 8/16/10

Client Informed on N/A by N/A Person contacted N/A

[ ] No action necessary, process as is.

Project Manager [signature] Date 9/8/10

LS-023, Rev. 10, 10/09

CHPRC PGW	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST	C.O.C. # X10-089-32 Page 1 of 1

Collector JP HERRICK ~~CHPRC~~	Contact/Requester Karen Waters-Husted	Telephone No. 509-376-4650
SAF No. X10-089	Sampling Origin Hanford Site	Purchase Order/Charge Code 300054ES20
Project Title OED TEST JULY 2010	Logbook No: HNF-N-506 34162	Ice Chest No. N/A
Shipped To (Lab) TestAmerica Incorporated, Richland	Method of Shipment Government Vehicle	Bill of Lading/Air Bill No. N/A
Protocol Other	Priority: 45 Days	Offsite Property No. N/A

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time — Total Activity Exemption: Yes ☑ No ☐
Site Wide Area Generator Knowledge Information Form applies.
The CACN for all analytical work at WSCF is 402017.
Please batch will all other samples. Do NOT create new SDG.

L56AD

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B27F66	N	W	8-24-10	0941	1x20-mL P	Activity Scan	6 Months	None
B27F66	N	W	↓	↓	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	6 Months	None

JOH260478
SDG WO6021

JOH260478

Relinquished By	Date/Time	Received By	Date/Time
JP HERRICK ~~CHPRC~~ Print Sign	AUG 24 2010 1340	SSU #1 Print Sign	AUG 24 2010 1340
SSU #1	8/25/10 1100	SCOTT HAMAKER	8/25/10 1100
SCOTT HAMAKER	8/25/10 1235	TRUCK AMG201	8.25.10 1235

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liquid	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

A-6004-842 (05/10)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 8/25/10 @ 12:35 ~~13:40~~ GM Screen Results (out) .4 (in) .3 Initials [LV] SKS 9/8/10

Client: PGW SDG #: W06021 NA [ ] SAF #: X10-089 NA [ ]

Work Order Number: 004260478 Chain of Custody # X10-089-32

Shipping Container ID: Hand Delivery NA [✓] Air Bill # _____ NA [✓]

Item 1 through 5 for shipping container only. Initial appropriate response.

1. Custody Seals on shipping container intact? Yes [LV] No [ ] No Custody Seal [ ]
2. Custody Seals dated and signed? Yes [LV] No [ ] No Custody Seal [ ]
3. Chain of Custody record present? Yes [LV] No [ ]
4. Cooler temperature: 4°C NA [ ] 5. Vermiculite/packing materials is NA [ ] Wet [ ] Dry [LV]

Item 6 through 10 for samples. Initial appropriate response.

6. Number of samples in shipping container (Each sample may contain multiple bottles): 1 ~~Aqueous 24~~ 1-400mL 2-4lp LV 8/25/10
7. Sample holding times exceeded? NA [ ] Yes [ ] No [SKS]
8. Samples have:
   - ____ tape
   - SKS custody seals
   - ____ hazard labels
   - LV appropriate sample labels
9. Samples are:
   - LV in good condition
   - ____ broken
   - ____ leaking
   - ____ have air bubbles (Only for samples requiring head space)
10. Sample pH taken? NA [ ] pH<2 [ ] pH>2 [LV] pH>9 [ ] Amount of HNO3 Added _____
11. Sample Location, Sample Collector Listed? * Yes [LV] No [ ]
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [LV]
13. Description of anomalies (include sample numbers): NA [✓]

see other side for additional comments

Sample Custodian: [signature] Date: 8/25/10

Client Informed on N/A by N/A Person contacted N/A

[✓] No action necessary, process as is.

Project Manager [signature] Date 9/8/10

LS-023, Rev. 10, 10/09

CHPRC

PGW

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. # X10-081-8

Page 1 of 1

Collector: KE Hamilton CHPRC	Contact/Requester: Karen Waters-Husted	Telephone No.: 376-4650
SAF No.: X10-081	Sampling Origin: Hanford site	Purchase Order/Charge Code: 300118ES20
Project Title: IU2 IU6DURA JULY 2010	Logbook No: HNF-N-506 34/64	Ice Chest No.: N/A
Shipped To (Lab): TestAmerica Incorporated, Richland	Method of Shipment: Government Vehicle	Bill of Lading/Air Bill No.: N/A
Protocol: CERCLA	Priority: 45 Days	Offsite Property No.: N/A

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS Hold Time
Site Wide Area Generator Knowledge Information Form applies.
The CACN for all analytical work at WSCF is 401922.
Please report all TICs.

Total Activity Exemption: Yes ☑ No ☐

L57WG1

Sample No.	Filter	*	Date	Time	No/Type Container	Sample Analysis	Holding Time	Preservative
B26543	N	W	08/26/10	1001	1x20-mL P	Activity Scan	6 Months	None
B26543	N	W			2x1000-mL G/P	C14_LSC: C-14 (1)	6 Months	None
B26543	N	W			1x4000-mL G/P	GAMMALL_GS: List-1 (9)	6 Months	HNO3 to pH <2
B26543	N	W	08/26/10	1001	2x4000-mL G/P	I129LL_SEP_LEPS_GS_LL: I-129 (1)	6 Months	None

JOH270454
SPG1W0602-1

JOH270454

Relinquished By	Print	Sign	Date/Time	Received By	Print	Sign	Date/Time
KE Hamilton CHPRC			1130 AUG 26 2010	SSU- 1			1130 AUG 26 2010
SSU- 1			1145 AUG. 26 2010	Scott Hamaker	Scott Hamaker		1145 AUG 26 2010
Scott Hamaker	Scott Hamaker		8/26/10 1300	Angel Garcia	Angel Garcia		8/26/10 1300
Relinquished By			Date/Time	Received By			Date/Time

Matrix *

S = Soil		DS = Drum Solid	
SE = Sediment		DL = Drum Liquid	
SO = Solid		T = Tissue	
SL = Sludge		WI = Wine	
W = Water		L = Liquid	
O = Oil		V = Vegetation	
A = Air		X = Other	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

A-6004-842 (05/10)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Sample Check-in List

Date/Time Received: 8/26/10@1300 GM Screen Results (pur) .4 (in) .4 Initials LV

Client PGW SDG #: W06021 NA [ ] SAF #: X10-081 NA [ ]

Work Order Number: J0427045 Chain of Custody # X10-081-8

Shipping Container ID: Hand Delivery NA LV Air Bill # _____ NA LV

Item 1 through 5 for shipping container only. Initial appropriate response.

1. Custody Seals on shipping container intact? Yes [LV] No [ ] No Custody Seal [ ]
2. Custody Seals dated and signed? Yes [LV] No [ ] No Custody Seal [ ]
3. Chain of Custody record present? Yes [LV] No [ ]
4. Cooler temperature: 4°C NA [ ] 5. Vermiculite/packing materials is NA [ ] Wet [ ] Dry [LV]

Item 6 through 10 for samples. Initial appropriate response.

6. Number of samples in shipping container (Each sample may contain multiple bottles): 1@6 containers
7. Sample holding times exceeded? NA [ ] Yes [ ] No [SLS] 1@vial 2@4p 3@4Lp
8. Samples have:
   ____ tape
   SLS custody seals
   ____ hazard labels
   LV appropriate sample labels
9. Samples are:
   LV in good condition
   ____ broken
   (BOTH)
   ____ leaking
   ____ have air bubbles
   (Only for samples requiring head space)
10. Sample pH taken? NA [ ] pH<2 [✓] pH>2 [✓] pH>9 [ ] Amount of HNO3 Added _____
11. Sample Location, Sample Collector Listed? * Yes [LV] No [ ]
    *For documentation only. No corrective action needed.
12. Were any anomalies identified in sample receipt? Yes [ ] No [LV]
13. Description of anomalies (include sample numbers): NA [✓]

see other side for additional comments

Sample Custodian: [signature] Date: 8/26/10

Client Informed on N/A by N/A Person contacted N/A

[✓] No action necessary; process as is.

Project Manager [signature] Date 9/8/10

LS-023, Rev. 10, 10/09

10/19/2010 10:08:17 AM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

AW Gamma Prp GAM001
TA Gamma by HPGE
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 10/11/2010

Sep1 DT/Tm Tech:

Batch: 0252413 WATER pCi/L PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

SEQ Batch, Test: None

Prep Tech: Barcotl

Work Order, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Ppt or Geometry	Count Time Min	Detector Id	Count On [Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 L57WG-1-AC J0H270454-1-SAMP 08/26/2010 10:01			2002.60g,in AmtRec: VIAL20,2XLP,3X4LP	2002.60g #Containers: 6		150mL	200	615 Scr:	0438 Alpha: 1.11E-03 uCi/Sa	10/20/10 Beta: -6.29E-04 uCi/Sa	
2 L57WG-1-AE-X J0H270454-1-DUP 08/26/2010 10:01			ISV AmtRec: VIAL20,2XLP,3X4LP	#Containers: 6				614 Scr:	0451 Alpha: 1.11E-03 uCi/Sa	10/20/10 Beta: -6.29E-04 uCi/Sa	
3 L6RAN-1-AA-B J0I090000-413-BLK 09/13/2010 08:37 pd			2000.10g,in AmtRec:	2000.10g #Containers: 1				611 Scr:	0439 Alpha:	10/20/10 Beta:	
4 L6RAN-1-AC-C J0I090000-413-LCS 09/13/2010 08:37 pd			2000.90g,in AmtRec:	2000.90g #Containers: 1	QCAG1671 09/16/10,pd 11/07/03,r			614 Scr:	0439 Alpha:	↓ Beta:	

Comments: L57WG-SAMP "Comments:No dup due to ISV please recount on separate detector IB 10-19-10"

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

L57WG1AC-SAMP Constituent List:

Co-60	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Cs-134	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:
Cs-137	RDL:6.00E+00	pCi/L	LCL:70	UCL:130	RPD:20	Cs-137DA	RDL:6.00E+00	pCi/L	LCL:70	UCL:130	RPD:20
Eu-154	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Eu-155	RDL:.00E+00	pCi/L	LCL:	UCL:	RPD:
K-40	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Sb-125	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:

L6RAN1AA-BLK:

10/19/2010 10:08:18 AM

Sample Preparation/Analysis

AW Gamma Prp GAM001
TA Gamma by HPGE
5I CLIENT: HANFORD

Balance Id:1120482733

Pipet #: _____

AnalyDueDate: 10/11/2010

Sep1 DT/Tm Tech:

Batch: 0252413 pCi/L

SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,Barcotl

Work Order, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
Co-60	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Cs-134	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:
Cs-137	RDL:6.00E+00	pCi/L	LCL:	UCL:	RPD:	Cs-137DA	RDL:6.00E+00	pCi/L	LCL:	UCL:	RPD:
Eu-154	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Eu-155	RDL:.00E+00	pCi/L	LCL:	UCL:	RPD:
K-40	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:	Sb-125	RDL:0.00E+00	pCi/L	LCL:	UCL:	RPD:
L6RAN1AC-LCS:											
Cs-137	RDL:15	pCi/L	LCL:70	UCL:130	RPD:20	Cs-137DA	RDL:15	pCi/L	LCL:70	UCL:130	RPD:20
K-40	RDL:6	pCi/L	LCL:70	UCL:130	RPD:20	Ra-226	RDL:--	pCi/L	LCL:70	UCL:130	RPD:20
RA-228	RDL:--	pCi/L	LCL:70	UCL:130	RPD:20	RA-228DA	RDL:--	pCi/L	LCL:70	UCL:130	RPD:20
U-238	RDL:--	pCi/L	LCL:70	UCL:130	RPD:20						

L57WG1AC-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

L6RAN1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

L6RAN1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

10/25/2010 3:40:12 PM

ICOC Fraction Transfer/Status Report

ByDate: 10/25/2009, 10/30/2010, Batch: '0252413', User: *ALL Order By DateTimeAccepting

Q	Batch	Work Ord	CurStatus	Accepting			Comments
0252413							
AC			Rev1C	Barcotl	10/19/2010 10:08:25		
SC				Wagarr	IsBatched	9/13/2010 8:38:44 AM	ICOC_RADCALC v4.8.40
SC				Barcotl	InPrep	10/19/2010 10:08:25 AM	RL-PRP-004 REVISION 1
SC				WagarC	InPrep2	10/19/2010 10:41:03 AM	RL-GAM-001 REVISION 1
SC				ClarkR	InCnt1	10/23/2010 3:06:12 PM	RL-CI-007 REVISION 1
SC				WagarC	Prep2C	10/25/2010 9:39:12 AM	RL-GAM-001 REVISION 1
SC				ClarkR	CalcC	10/25/2010 9:57:27 AM	RL-CI-007 REVISION 1
SC				antonsonl	Rev1C	10/25/2010 3:40:03 PM	RL-DR-001 Rev 2
AC				WagarC	10/19/2010 10:41:03		
AC				ClarkR	10/23/2010 3:06:12		
AC				WagarC	10/25/2010 9:39:12		
AC				ClarkR	10/25/2010 9:57:27		
AC				antonsonl	10/25/2010 3:40:03		

AC: Accepting Entry; SC: Status Change

TestAmerica Richland

Richland Wa.

Page 1

Grp Rec Cnt: 6

ICOCFractions v4.8.44

10/20/2010 4:54:58 PM

Sample Preparation/Analysis

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

BN I-129 Prp/Sep GAM002
TB Gamma by LEPD
5I CLIENT: HANFORD

AnalyDueDate: 09/30/2010 WO 6021

Batch: 0252412 WATER pCi/L
SEQ Batch, Test: None All Tests: 0252412 BNTB,

PM, Quote: SS , 57671

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech: ,ONeillD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 L5X2R-1-AA J0H200636-1-SAMP 08/12/2010 11:06		3893.90g,in AmtRec: 2X4LP,VIAL #Containers: 3	ITA10056 09/23/10		33.7	200	L4	2245	10/29/10 DHD Scr: Alpha: Beta:	
2 L5X2R-1-AC-X J0H200636-1-DUP 08/12/2010 11:06		3820.20g,in AmtRec: 2X4LP,VIAL #Containers: 3	ITA10057 09/23/10		34.0		L5	2245	Scr: Alpha: Beta:	
3 L5X27-1-AA J0H200636-2-SAMP 08/12/2010 10:05		3877.90g,in AmtRec: 2X4LP,VIAL #Containers: 3	ITA10058 09/23/10		35.3		L4	0211	Scr: Alpha: Beta:	
4 L5X3L-1-AA J0H200636-3-SAMP 08/12/2010 09:06		3877.50g,in AmtRec: 2X4LP,VIAL #Containers: 3	ITA10059 09/23/10		35.1		L5	0213	Scr: Alpha: Beta:	
5 L56AD-1-AA J0H260478-1-SAMP 08/24/2010 09:41		3855.70g,in AmtRec: 1XVIAL20,2X4LP #Containers: 3	ITA10060 09/23/10		34.3		L4	0558	10/30/10 Scr: Alpha: -8.86E-05 uCi/Sa Beta: -3.85E-04 uCi/Sa	
6 L57WG-1-AD J0H270454-1-SAMP 08/26/2010 10:01		3875.50g,in AmtRec: VIAL20,2XLP,3X4LP #Containers: 6	ITA10061 09/23/10		34.0		L5	0558	Scr: Alpha: 1.11E-03 uCi/Sa Beta: -6.29E-04 uCi/Sa	
7 L6RAM-1-AA-B J0I090000-412-BLK 09/13/2010 08:37 pd		3899.00g,in AmtRec: #Containers: 1	ITA10062 09/23/10		32.3		L4	0920	10/30/10 Scr: Alpha: Beta:	

TestAmerica Richland Wa. Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 pd - Prep Dt, dc - Date Chg, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added Page 1 ISV - Insufficient Volume for Analysis WO Cnt: 7 Prep_SamplePrep v4.8.41

10/20/2010 4:54:59 PM

Sample Preparation/Analysis

BN I-129 Prp/Sep GAM002
TB Gamma by LEPD
5I CLIENT: HANFORD

AnalyDueDate: 09/30/2010

Batch: 0252412 pCi/L
SEQ Batch, Test: None

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech: ,ONeIIID

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
8 L6RAM-1-AC-C		3899.50g,in	ISD1143							
J0I090000-412-LCS			10/16/10		34.1	200	L5	0930	10/30/10	
09/13/2010 08:37 pd		AmtRec:	#Containers: 1					Scr:	Alpha:	Beta:

Comments: L57WG-SAMP "Comments:No dup due to ISV please recount on separate detector IB 10-19-10"

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

```
L5X2R1AA-SAMP Constituent List:
  I-129       RDL:0.50E+00    pCi/L     LCL:        UCL:        RPD:
L6RAM1AA-BLK:
  I-129       RDL:0.50E+00    pCi/L     LCL:        UCL:        RPD:
L6RAM1AC-LCS:
  I-129       RDL:5           pCi/L     LCL:70      UCL:130     RPD:20
L5X2R1AA-SAMP Calc Info:
     Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
L6RAM1AA-BLK:
     Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
L6RAM1AC-LCS:
     Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
```

10/21/2010 7:54:15 PM

Sample Preparation/Analysis

BN I-129 Prp/Sep GAM002
TB Gamma by LEPD
5I CLIENT: HANFORD

Balance Id:

Pipet #: _____

AnalyDueDate: 10/01/2010

Sep1 DT/Tm Tech:

Batch: 0232412 pCi/L
SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech: ,ONeilID

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Dish Size	Ppt or Geometry	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

```
    Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
L5X2Q1AA-BLK:
    Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
L5X2Q1AC-LCS:
    Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
```

11/1/2010 2:59:35 PM

ICOC Fraction Transfer/Status Report

ByDate: 11/1/2009, 11/6/2010, Batch: '0252412', User: *ALL Order By DateTimeAccepting

Q	Batch	Work Ord	CurStatus	Accepting			Comments
0252412							
AC			Rev1C	ONeillD	10/20/2010 4:30:15		
SC				Wagarr	IsBatched	9/13/2010 8:38:44 AM	ICOC_RADCALC v4.8.40
SC				ONeillD	InPrep	10/20/2010 4:30:15 PM	RL-PRP-004 REVISION 1
SC				ONeillD	InPrep2	10/28/2010 2:38:30 PM	RL-GAM-002 REVISION 1
SC				ONeillD	Prep2C	10/29/2010 10:40:32 AM	RL-GAM-002 REVISION 1
SC				BlackCL	InCnt1	10/29/2010 10:48:37 AM	RL-CI-007 REVISION 1
SC				ClarkR	CalcC	10/30/2010 5:52:42 PM	RL-CI-007 REVISION 1
SC				antonsonl	Rev1C	11/1/2010 2:55:40 PM	RL-DR-001 Rev 2
AC				ONeillD	10/28/2010 2:38:30		
AC				ONeillD	10/29/2010 10:40:32		
AC				BlackCL	10/29/2010 10:48:37		
AC				ClarkR	10/30/2010 5:52:42		
AC				antonsonl	11/1/2010 2:55:40 PM		

AC: Accepting Entry; SC: Status Change

TestAmerica Richland

Richland Wa.

Page 1

Grp Rec Cnt: 6

ICOCFractions v4.8.44

9/20/2010 3:18:14 PM

Sample Preparation/Analysis

Balance Id:1120482733

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

AM Tc-99 Prp/Sep LSC013
S5 Technetium-99 by Liquid Scint
5I CLIENT: HANFORD

Pipet #: _____

AnalyDueDate: 09/30/2010 W06021

Sep1 DT/Tm Tech:

Batch: 0252415 WATER pCi/L
SEQ Batch, Test: None All Tests: 0252415 AMS5,

PM, Quote: SS , 57671

Sep2 DT/Tm Tech:

Prep Tech: ,LucasD

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 L5X41-1-AA J0H200643-1-SAMP 08/12/2010 10:27		126.70g,in AmtRec: 3XLP,VIAL	#Containers: 4	60		Scr:	Alpha: 6.86E-04 uCi/Sa	Beta: -7.24E-05 uCi/Sa
2 L5X41-1-AC-S J0H200643-1-MS 08/12/2010 10:27		126.80g,in AmtRec: 3XLP,VIAL	TCSG2723 08/31/10,pd 07/01/05 r #Containers: 4			Scr:	Alpha: 6.86E-04 uCi/Sa	Beta: -7.24E-05 uCi/Sa
3 L5X41-1-AD-X J0H200643-1-DUP 08/12/2010 10:27		126.00g,in AmtRec: 3XLP,VIAL	#Containers: 4			Scr:	Alpha: 6.86E-04 uCi/Sa	Beta: -7.24E-05 uCi/Sa
4 L6RAQ-1-AA-B J0I090000-415-BLK 09/13/2010 08:37 pd		126.90g,in AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:
5 L6RAQ-1-AC-C J0I090000-415-LCS 09/13/2010 08:37 pd		125.40g,in AmtRec:	TCSE2402 09/01/10,pd 07/01/05 r #Containers: 1			Scr:	Alpha:	Beta:
6 L6RAQ-1-AD-BN J0I090000-415-IBLK 09/13/2010 08:37 pd		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:

9/20/2010 3:18:15 PM

Sample Preparation/Analysis

AM Tc-99 Prp/Sep LSC013
S5 Technetium-99 by Liquid Scint
5I CLIENT: HANFORD

AnalyDueDate: 09/30/2010

Batch: 0252415 pCi/L
SEQ Batch, Test: None

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments:

pH = 2
DL 9/20/10

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

L5X411AA-SAMP Constituent List:
Tc-99 RDL:1.50E+01 pCi/L LCL:70 UCL:130 RPD:20
L5X411AC-MS Constituent List:

L6RAQ1AA-BLK:
Tc-99 RDL:1.50E+01 pCi/L LCL: UCL: RPD:
L6RAQ1AC-LCS:
Tc-99 RDL:15 pCi/L LCL:70 UCL:130 RPD:20
L6RAQ1AD-IBLK:
Tc-99 RDL:1.50E+01 pCi/L LCL: UCL: RPD:

L5X411AA-SAMP Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
L5X411AC-MS Calc Info:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
L6RAQ1AA-BLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
L6RAQ1AC-LCS:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B
L6RAQ1AD-IBLK:
Uncert Level (#s).: 2 Decay to SaDt: Y Blk Subt.: N Sci.Not.: Y ODRs: B

10/10/2010 10:59:29 AM

ICOC Fraction Transfer/Status Report

ByDate: 10/10/2009, 10/15/2010, Batch: '0252415', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
0252415						
AC		Rev1C	LucasD	9/20/2010 3:09:41 PM		
SC			Wagarr	IsBatched	9/13/2010 8:38:44 AM	ICOC_RADCALC v4.8.40
SC			LucasD	InPrep	9/20/2010 3:09:41 PM	RL-PRP-004 Revision 1
SC			JorgensonD	Sep2C	9/28/2010 12:43:54 PM	RL-LSC-013 REVISION 1
SC			ClarkR	InCnt1	9/28/2010 1:37:07 PM	RL-CI-005 REVISION 1
SC			ClarkR	CalcC	9/29/2010 10:47:19 AM	RL-CI-005 REVISION 1
SC			antonsonl	Rev1C	10/10/2010 10:59:14 AM	RL-DR-001 Rev 2
AC			JorgensonD	9/28/2010 12:43:54		
AC			ClarkR	9/28/2010 1:37:07 PM		
AC			ClarkR	9/29/2010 10:47:19		
AC			antonsonl	10/10/2010 10:59:14		

AC: Accepting Entry; SC: Status Change

TestAmerica Richland

Richland Wa.

Page 1

Grp Rec Cnt: 5

ICOCFractions v4.8.44

9/13/2010 8:37:34 AM

Sample Preparation/Analysis

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

AnalyDueDate: 10/11/2010 WD0021

5S C-14 Prp/Sep LSC008
S3 Carbon-14 by Liquid Scint
5I CLIENT: HANFORD

Batch: 0252414 WATER pCi/L
SEQ Batch, Test: None

PM, Quote: SS , 57671

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 L57WG-1-AA J0H270454-1-SAMP 08/26/2010 10:01		AmtRec: VIAL20,2XLP,3X4LP	#Containers: 6			Scr:	Alpha: 1.11E-03 uCi/Sa	Beta: -6.29E-04 uCi/Sa
2 L57WG-1-AF-X J0H270454-1-DUP 08/26/2010 10:01		AmtRec: VIAL20,2XLP,3X4LP	#Containers: 6			Scr:	Alpha: 1.11E-03 uCi/Sa	Beta: -6.29E-04 uCi/Sa
3 L6RAP-1-AA-B J0I090000-414-BLK 09/13/2010 08:37 pd		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:
4 L6RAP-1-AC-C J0I090000-414-LCS 09/13/2010 08:37 pd		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:
5 L6RAP-1-AD-BN J0I090000-414-IBLK 09/13/2010 08:37 pd		AmtRec:	#Containers: 1			Scr:	Alpha:	Beta:

Comments:

All Clients for Batch:
384868, Pacific Northwest National Laboratory Pacific Northwest National Lab, SS , 57671

L57WG1AA-SAMP Constituent List:
C-14 RDL:2.00E+02 pCi/L LCL:70 UCL:130 RPD:20

9/13/2010 8:37:34 AM

Sample Preparation/Analysis

5S C-14 Prp/Sep LSC008
S3 Carbon-14 by Liquid Scint
5I CLIENT: HANFORD

AnalyDueDate: 10/11/2010

Batch: 0252414 pCi/L
SEQ Batch, Test: None

Balance Id:
Pipet #:
Sep1 DT/Tm Tech:
Sep2 DT/Tm Tech:
Prep Tech:

Work Order, Lot, Sample DateTime	Total Amt/Unit	Initial Aliquot Amt/Unit	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

```
L6RAP1AA-BLK:
  C-14        RDL:2.00E+02    pCi/L    LCL:        UCL:        RPD:
L6RAP1AC-LCS:
  C-14        RDL:200         pCi/L    LCL:70      UCL:130     RPD:20
L6RAP1AD-IBLK:
  C-14        RDL:2.00E+02    pCi/L    LCL:        UCL:        RPD:
L57WG1AA-SAMP Calc Info:
     Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
L6RAP1AA-BLK:
     Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
L6RAP1AC-LCS:
     Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
L6RAP1AD-IBLK:
     Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
```

10/10/2010 10:27:33 AM

ICOC Fraction Transfer/Status Report

ByDate: 10/10/2009, 10/15/2010, Batch: '0252414', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting			Comments
0252414						
AC		Rev1C	NelsonT	9/30/2010 9:40:01		
SC			Wagarr	IsBatched	9/13/2010 8:38:44 AM	ICOC_RADCALC v4.8.40
SC			NelsonT	Sep1C	9/30/2010 9:40:01 AM	RL-LSC-008 REVISION 1
SC			ClarkR	InCnt1	9/30/2010 2:45:45 PM	RL-CI-005 REVISION 1
SC			ClarkR	CalcC	10/2/2010 10:05:48 AM	RL-CI-005 REVISION 1
SC			antonsonl	Rev1C	10/10/2010 10:27:17 AM	RL-DR-001 Rev 2
AC			ClarkR	9/30/2010 2:45:45 PM		
AC			ClarkR	10/2/2010 10:05:48		
AC			antonsonl	10/10/2010 10:27:17		

AC: Accepting Entry; SC: Status Change

TestAmerica Richland

Richland Wa.

Page 1

Grp Rec Cnt:4

ICOCFractions v4.8.44