0072208

SAF-RC-084
RCBRA-Inter-Areas Shoreline Assessment – Pore & Surface Water Sampling
FINAL DATA PACKAGE

COMPLETE COPY OF DATA PACKAGE TO:

Jackie Queen H4-22 KW 1/29/07
Initials/Date

COMMENTS:

SDG EAS012507 SAF-RC-084

Rad only X Chem only, Rad & Chem

X Complete Partial

RECEIVED
MAR 0 1 2007
EDMC

EAS 012507
RC-084

environmental services

Report of Analysis

For: Environmental Assessment Services

Attn: Brett Tiller

Project Manager: 29-Jan-07

Client Sample ID: J13TY7 **Lab Sample ID:** 07387-01
Site: **Collection Date:** 12/21/2006 11:30 AM

Analyte	Sample Result	Method	Detection Limit
Chromium VI	< 0.5 mg/Kg	SM 3500-Cr	0.5 mg/Kg

Client Sample ID: J13VP6 **Lab Sample ID:** 07388-01
Site: **Collection Date:** 12/23/2006 2:50 PM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	4.7 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VB9 **Lab Sample ID:** 07394-01
Site: **Collection Date:** 12/27/2006 11:30 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13PC9 **Lab Sample ID:** 07394-02
Site: **Collection Date:** 12/27/2006 10:00 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VD3 **Lab Sample ID:** 07394-03
Site: **Collection Date:** 12/27/2006 10:30 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VD4 **Lab Sample ID:** 07394-04
Site: **Collection Date:** 12/27/2006 10:35 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	3.3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13TX5 **Lab Sample ID:** 07394-05
Site: **Collection Date:** 12/27/2006 12:50 PM

Analyte	Sample Result	Method	Detection Limit
Chromium VI	< 0.5 mg/Kg	SM 3500-Cr	0.5 mg/Kg

Client Sample ID: J13VP9 **Lab Sample ID:** 07409-01
Site: **Collection Date:** 1/3/2007 11:50 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VR0 **Lab Sample ID:** 07409-02
Site: **Collection Date:** 1/3/2007 1:15 PM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	5.5 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13V95 **Lab Sample ID:** 07416-01
Site: **Collection Date:** 1/4/2007 1:40 PM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13V96 **Lab Sample ID:** 07416-02
Site: **Collection Date:** 1/4/2007 12:00 PM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VB7 **Lab Sample ID:** 07416-03
Site: **Collection Date:** 1/4/2007 11:30 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VB8 **Lab Sample ID:** 07416-04
Site: **Collection Date:** 1/4/2007 1:00 PM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VP7 **Lab Sample ID:** 07417-01
Site: **Collection Date:** 1/8/2007 1:00 PM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	3.3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VP8 **Lab Sample ID:** 07417-02
Site: **Collection Date:** 1/8/2007 1:30 PM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	3.1 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VR8 **Lab Sample ID:** 07417-03
Site: **Collection Date:** 1/8/2007 2:30 PM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13TY0 **Lab Sample ID:** 07418-01
Site: **Collection Date:** 12/19/2006 1:45 PM

Analyte	Sample Result	Method	Detection Limit
Chromium VI	< 0.5 mg/Kg	SM 3500-Cr	0.5 mg/Kg

Client Sample ID: J13TY1 **Lab Sample ID:** 07418-02
Site: **Collection Date:** 12/19/2006 12:45 PM

Analyte	Sample Result	Method	Detection Limit
Chromium VI	< 0.5 mg/Kg	SM 3500-Cr	0.5 mg/Kg

Client Sample ID: J13TY2 **Lab Sample ID:** 07418-03
Site: **Collection Date:** 12/19/2006 12:24 PM

Analyte	Sample Result	Method	Detection Limit
Chromium VI	< 0.5 mg/Kg	SM 3500-Cr	0.5 mg/Kg

Client Sample ID: J13TX4 **Lab Sample ID:** 07419-01
Site: **Collection Date:** 12/20/2006 12:15 PM

Analyte	Sample Result	Method	Detection Limit
Chromium VI	< 0.5 mg/Kg	SM 3500-Cr	0.5 mg/Kg

Client Sample ID: J13TX6 **Lab Sample ID:** 07419-02
Site: **Collection Date:** 12/20/2006 2:30 PM

Analyte	Sample Result	Method	Detection Limit
Chromium VI	< 0.5 mg/Kg	SM 3500-Cr	0.5 mg/Kg

Client Sample ID: J13VD7 **Lab Sample ID:** 07421-01
Site: **Collection Date:** 1/9/2007 9:55 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VD8 **Lab Sample ID:** 07421-02
Site: **Collection Date:** 1/9/2007 11:00 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	3.6 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VF2 **Lab Sample ID:** 07421-03
Site: **Collection Date:** 1/9/2007 9:00 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	4.0 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VF3 **Lab Sample ID:** 07421-04
Site: **Collection Date:** 1/9/2007 10:30 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VT2 **Lab Sample ID:** 07421-05
Site: **Collection Date:** 1/10/2007 8:30 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	4.9 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VT3 **Lab Sample ID:** 07421-06
Site: **Collection Date:** 1/10/2007 9:15 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	3.8 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VC0 **Lab Sample ID:** 07452-01
Site: **Collection Date:** 1/11/2007 10:00 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VC1 **Lab Sample ID:** 07452-02
Site: **Collection Date:** 1/11/2007 10:10 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VR7 **Lab Sample ID:** 07452-03
Site: **Collection Date:** 1/11/2007 11:45 AM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	3.2 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VK2 **Lab Sample ID:** 07453-01
Site: **Collection Date:** 1/15/2007 2:45 PM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

Client Sample ID: J13VT1 **Lab Sample ID:** 07453-02
Site: **Collection Date:** 1/15/2007 1:15 PM

Analyte	Sample Result	Method	Detection Limit
Chromium, hexavalent	< 3 µg/L	SM 3500-Cr	3 µg/L

NA = not analyzed